

# Proposal of AI Music Recommendation

Evan Griswold  
emgriw20@earlham.edu  
Earlham College  
Cincinnati, Ohio, USA

## ABSTRACT

This project focuses on developing an AI-powered music recommendation system by harnessing diverse music data sources with the main dataset Million Song Dataset (MSD) and having sub-datasets within MSD involving cover songs, lyrics, user data, genre labels, and similarity. Employing machine learning techniques such as content based filtering and deep learning will achieve the best results, providing users with personalized and diverse music recommendations. The objective is to create an efficient music recommendation system that enhances user music discovery and satisfaction.

## KEYWORDS

Machine Learning, Data Collection, Music Recommendation System, Evaluation Metrics, Matrix Factorization, Music Discovery

### ACM Reference Format:

Evan Griswold. 2023. Proposal of AI Music Recommendation. In *Proceedings of ACM Conference (Conference'17)*. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

## 1 INTRODUCTION

Music consumption and discovery have been dramatically transformed in recent years, owing to the advent of digital streaming platforms and the proliferation of music databases. Amid this evolving landscape, the application of AI to music recommendation systems has emerged as a pivotal endeavor. The promise of enhancing user experiences and facilitating the exploration of a vast and diverse repertoire excites music enthusiasts. This proposal introduces what an AI-driven music recommendation system is through data gathering, preprocessing, model construction, evaluation, and user-centric considerations [2]. These considerations will include the user's involvement, experience, and overall system usability. After collecting the data from MSD, the steps for preprocessing will need to be usable. The preprocessing includes cleaning the data, checking for missing values, and creating features based on the song's tempo, loudness, etc [12]. The Million Song Dataset encompasses diverse music-related information, involving cover songs, lyrics, user data, genre labels, song-level tags, and similarity.

The efficacy of the music recommendation system hinges on extracting relevant features from the dataset, creating an easy and fast working system for the user. Features of interest are genres, tempo,

artist popularity, user listening history, and more. The subsequent construction of the recommendation model involves a multifaceted approach, such as content-based filtering and deep learning. These techniques are tools to discern patterns within the music data, enabling the system to provide personalized recommendations.

## 2 DATASET

This section introduces one dataset that will be used in the research. The choice of dataset depends on your specific project goals, data availability, and the type of music recommendation system you intend to build. Combining multiple datasets is common to create a more comprehensive and accurate model [1]. With the Million Song Dataset, I will be using sub-datasets to include in my work to improve my recommender system [5].

- SecondHandSongs dataset -> cover songs
- musixmatch dataset -> lyrics
- Last.fm dataset -> song-level tags and similarity
- Taste Profile subset -> user data
- thisismyjam-to-MSD mapping -> more user data
- tagtraum genre annotations -> genre labels
- Top MAGD dataset -> more genre labels

### 2.1 Million Song Dataset

The Million Song Dataset is a freely available collection full of audio features and metadata for a million contemporary popular music tracks. The core of the dataset is the feature analysis and metadata for one million songs, provided by The Echo Nest. The dataset does not include any audio, only the derived features. Note, however, that sample audio can be fetched from services like 7digital, using the code Million Song Dataset provides. The purposes of the dataset are:

- To encourage research on algorithms that scale to commercial sizes
- To provide a reference dataset for evaluating research
- As a shortcut alternative to creating a large dataset with APIs (e.g. The Echo Nest's)
- To help new researchers get started in the MIR field [5].

## 3 METHODS

There are numerous methods to achieve the task at hand, however, the proposal will only focus on Content Based Filtering and Deep Learning. These methods will be essential for the work at hand to produce the AI music recommendation system. The choice of method depends on the specific goals of the music recommendation system and the nature of the available data. These methods will achieve the best results, providing users with personalized and diverse music recommendations.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

Conference'17, July 2017, Washington, DC, USA

© 2023 Association for Computing Machinery.

ACM ISBN 978-x-xxxx-xxxx-x/YY/MM...\$15.00

<https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

### 3.1 Content Based Filtering

Content based filtering recommends music based on the content attributes of songs and the user's historical preferences. It focuses on matching user profiles with music features like genre, tempo, and lyrics [10]. The item description and a profile of the users orientation play an important role in Content-based filtering. Content based filtering algorithms try to recommend items based on similarity count [13].

- Pros: Personalization, transparency, less data dependency, and no cold start.
- Cons: Profile narrowness, over-specialization, and staleness.

Like all recommender systems, content based filtering has both pros and cons. These Pros and Cons come from user experiences. It is good that there are no cold start problems because it can cause issues for the filtering algorithm not to make recommendations, as it relies on interactions. A cold start is when items or songs are added to a catalog with either none or very few interactions [8].

One way to avoid the cold start problem is to combine different types of recommender systems, such as collaborative filtering, content-based filtering, and knowledge-based filtering. Hybrid models can leverage each approach's strengths and compensate for others' weaknesses [9].

### 3.2 How Content Based Filtering Works

Creating a content-based profile of users is done with the help of a weighted vector of item features. The weights denote the importance of each feature to the user. It can be calculated from individually rated content vectors using various proficiencies. Below shows CBF mechanism, which includes the following steps:

- (1) Educe the attributes of items for recommendation.
- (2) Compare the attributes of items with the preferences of the active user.
- (3) Recommend items according to features that fulfill the users interests.

When the attributes of the items and the user profiles are known, the key role of CBF is to determine whether a user will like a specific item. This task is traditionally answered by using heuristic methods [3] or classification algorithms, such as: rule induction, nearest neighbors methods, Rocchio's algorithm, linear classifiers and probabilistic methods [6]. I plan to use classification algorithms for the recommender system.

### 3.3 Deep Learning

Deep learning methods are all neural networks. Deep learning is using a neural network with several layers. These include deep recommendation models, which are used to model complex patterns in user behavior and music features for more accurate recommendations [2] and [11].

Deep learning, a branch of machine learning, is an algorithm that attempts to perform high-level abstraction of data using multiple processing layers that contain complex structures or consist of multiple nonlinear transformations. The uniqueness of deep learning is that it allows multiple processing layers to be composed while the processing layer can be a traditional neural network or algorithms

in other fields. Such a computing model can not only be extended but also learned [14].

- Pros: Highly effective, scalability, state-of-the-art performance, and continuous improvement.
- Cons: Data dependency, complexity, and limited data efficiency.

A deep belief network (DBN) is a multi-layer learning architecture that uses a stack of RBMs to extract a deep hierarchical representation of the training data. In such design, the hidden layer of each sub-network serves as the visible layer for the upcoming sub-network [7]. When learning through a DBN, firstly the RBM in the bottom layer is trained by inputting the original data into the visible units. Then, the parameters are fixed up, and the hidden units of the RBM are used as the input into the RBM in the second layer. The learning process continues until reaching the top of the stacked sub-networks, and finally, a suitable model is obtained to extract features from the input. Since the learning process is unsupervised, it is common to add a new network of supervised learning to the end of the DBN to use it in a supervised learning task such as classification or regression. [4]

## 4 EVALUATION

The evaluation plan should define its goal as precisely as possible. The plan is to use content based filtering and deep learning together to perform the desired tasks within the recommender system. The way these will be evaluated will be through trial and error and from the feedback collection system that the user will provide. Necessary changes will be accounted for and improved in the system.

## 5 FUTURE GOALS

Upon achieving satisfactory performance, the recommendation algorithm is seamlessly incorporated into a user-friendly platform with an intuitive interface. This interface becomes the conduit through which users interact with the system, fostering an engaging and efficient music discovery experience. Moreover, provisions are made for feedback collection, ensuring continuous improvement and adaptability to evolving user preferences. Crucially, the ethical dimensions of user data handling and privacy concerns are addressed with utmost diligence. Stringent measures are implemented to safeguard user data, affirming a commitment to data security and user privacy throughout the system's life cycle.

## 6 TIMELINE

My plan for CS 488 in 15 weeks:

- (1) Gather code and info from online source(s) (Million Song Dataset)
- (2) Begin writing pseudocode and plan out organizing files
- (3) Work on first draft of paper and begin testing code
- (4) First draft of paper due and edit code (run tests and continue working on improving system)
- (5) First draft of software due
- (6) Edit first paper and look for more sources online (GitHub and sub-datasets from MSD)
- (7) Create a GitHub archive and organize code into folders




Figure 1: Process diagram of content based algorithm




Figure 2: Content Based Filtering

- (8) Run program and test algorithms and edit first draft (If necessary)
- (9) Second draft of paper due and work on cleaning up program (Think of other ways to improve system)
- (10) Demo work video one due (improve code and system)
- (11) Continue improving code and program in areas that need it (ask questions and watch videos for help)
- (12) Third draft of paper due (keep testing recommendation system)
- (13) Demo video two due (check files and continue working on recommender system)
- (14) Clean up/finalize recommendation system (get ready for final submissions)
- (15) Final versions of paper, poster, and demo video three due




Figure 3: A deep learning recommendation model




Figure 4: Deep learning neural network model

## 7 CONCLUSION

This proposal discussed the dynamic and multifaceted nature of music recommendation systems. It represents an opportunity to shape the future of music discovery, providing users with personalized and engaging experiences. As music streaming platforms and user expectations evolve, this endeavor remains vital in enhancing the intersection of AI and music, offering a road map for ongoing innovation and refinement in music recommendation. I first explained the information of what is going to be done, starting with the introduction. Second, I explained the specific datasets that will be used. Thirdly, I discussed the methods that will be used to gather data. Lastly, I dove into the extra goals that would be nice to delve into.

## REFERENCES

- [1] Md Arshad Ahammed. 2022. What are the benefits of merging multiple datasets into one dataset? *Quora* (2022). <https://www.quora.com/What-are-the-benefits-of-merging-multiple-datasets-into-one-dataset>
- [2] R. Anand, RS. Sabeenian, Deepika Gurang, R. Kirthika, and Shaik Rubeena. 2021. AI based music recommendation system using deep learning algorithms. In *IOP conference series: earth and environmental science*, Vol. 785. IOP Publishing, 012013.
- [3] Chumki Basu, Haym Hirsh, and William W. Cohen. 1998. Recommendation as Classification: Using Social and Content-Based Information in Recommendation. (1998). <https://api.semanticscholar.org/CorpusID:14176567>
- [4] Zeynep Batmaz, Ali Yurekli, Alper Bilge, and Cihan Kaleli. 2019. A review on deep learning for recommender systems: challenges and remedies. *Artificial Intelligence Review* 52 (2019), 1–37.
- [5] Thierry Bertin-Mahieux, Daniel P.W. Ellis, Brian Whitman, and Paul Lamere. 2011. The Million Song Dataset. (2011).
- [6] Marco de Gemmis, Pasquale Lops, Giovanni Semeraro, and Pierpaolo Basile. 2008. Integrating Tags in a Semantic Content-Based Recommender. (2008), 163–170. <https://doi.org/10.1145/1454008.1454036>
- [7] G. E. Hinton. 2009. Deep belief networks. *Scholarpedia* 4, 5 (2009), 5947. <https://doi.org/10.4249/scholarpedia.5947> revision #91189.
- [8] Blerina Lika, Kostas Kolomvatsos, and Stathes Hadjiefthymiades. 2014. Facing the cold start problem in recommender systems. *Expert Systems with Applications* 41, 4, Part 2 (2014), 2065–2073. <https://doi.org/10.1016/j.eswa.2013.09.005>
- [9] LinkedIn. 2023. How can you avoid the cold start problem in recommender systems? *LinkedIn* (2023). <https://www.linkedin.com/advice/0/how-can-you-avoid-cold-start-problem-recommender-r75tc#:~:text=One%20way%20to%20avoid%20the,for%20the%20weaknesses%20of%20others>.
- [10] Ankita Mahadik, Shambhavi Milgir, Janvi Patel, Vijaya Bharathi Jagan, and Vaishali Kavathekar. 2021. Mood based music recommendation system. *INTERNATIONAL JOURNAL OF ENGINEERING RESEARCH & TECHNOLOGY (IJERT)* Volume 10 (2021).
- [11] Batta Mahesh. 2020. Machine learning algorithms-a review. *International Journal of Science and Research (IJSR)*, [Internet] 9, 1 (2020), 381–386.
- [12] Ebuka (Gaus Octavio). Jan 15. Music Recommendation System Built With Python And Machine Learning. *Medium* (Jan 15).
- [13] Fernando Ortega, José-Luis Sánchez, Jesús Bobadilla, and Abraham Gutiérrez. 2013. Improving collaborative filtering-based recommender systems results using Pareto dominance. *Information Sciences* 239 (2013), 50–61. <https://doi.org/10.1016/j.ins.2013.03.011>
- [14] Yezi Zhang and Chia-Huei Wu. 2022. Music Recommendation System and Recommendation Model Based on Convolutional Neural Network. *Hindawi* (2022). <https://www.hindawi.com/journals/misy/2022/3387598/>